

0.1 `normal.bayes`: Bayesian Normal Linear Regression

Use Bayesian regression to specify a continuous dependent variable as a linear function of specified explanatory variables. The model is implemented using a Gibbs sampler. See Section ?? for the maximum-likelihood implementation or Section ?? for the ordinary least squares variation.

Syntax

```
> z.out <- zelig(Y ~ X1 + X2, model = "normal.bayes", data = mydata)
> x.out <- setx(z.out)
> s.out <- sim(z.out, x = x.out)
```

Additional Inputs

Use the following arguments to monitor the convergence of the Markov chain:

- **burnin**: number of the initial MCMC iterations to be discarded (defaults to 1,000).
- **mcmc**: number of the MCMC iterations after burnin (defaults to 10,000).
- **thin**: thinning interval for the Markov chain. Only every **thin**-th draw from the Markov chain is kept. The value of **mcmc** must be divisible by this value. The default value is 1.
- **verbose**: defaults to FALSE. If TRUE, the progress of the sampler (every 10%) is printed to the screen.
- **seed**: seed for the random number generator. The default is NA, which corresponds to a random seed of 12345.
- **beta.start**: starting values for the Markov chain, either a scalar or vector with length equal to the number of estimated coefficients. The default is NA, which uses the least squares estimates as the starting values.

Use the following arguments to specify the model's priors:

- **b0**: prior mean for the coefficients, either a numeric vector or a scalar. If a scalar, that value will be the prior mean for all the coefficients. The default is 0.
- **B0**: prior precision parameter for the coefficients, either a square matrix (with the dimensions equal to the number of the coefficients) or a scalar. If a scalar, that value times an identity matrix will be the prior precision parameter. The default is 0, which leads to an improper prior.
- **c0**: $c_0/2$ is the shape parameter for the Inverse Gamma prior on the variance of the disturbance terms.

- d0: d0/2 is the scale parameter for the Inverse Gamma prior on the variance of the disturbance terms.

Zelig users may wish to refer to `help(MCMCregress)` for more information.

Convergence

Users should verify that the Markov Chain converges to its stationary distribution. After running the `zelig()` function but before performing `setx()`, users may conduct the following convergence diagnostics tests:

- `geweke.diag(z.out$coefficients)`: The Geweke diagnostic tests the null hypothesis that the Markov chain is in the stationary distribution and produces z-statistics for each estimated parameter.
- `heidel.diag(z.out$coefficients)`: The Heidelberger-Welch diagnostic first tests the null hypothesis that the Markov Chain is in the stationary distribution and produces p-values for each estimated parameter. Calling `heidel.diag()` also produces output that indicates whether the mean of a marginal posterior distribution can be estimated with sufficient precision, assuming that the Markov Chain is in the stationary distribution.
- `raftery.diag(z.out$coefficients)`: The Raftery diagnostic indicates how long the Markov Chain should run before considering draws from the marginal posterior distributions sufficiently representative of the stationary distribution.

If there is evidence of non-convergence, adjust the values for `burnin` and `mcmc` and rerun `zeling()`.

Advanced users may wish to refer to `help(geweke.diag)`, `help(heidel.diag)`, and `help(raftery.diag)` for more information about these diagnostics.

Examples

1. Basic Example

Attaching the sample dataset:

```
> data(macro)
```

Estimating linear regression using `normal.bayes`:

```
> z.out <- zeling(unem ~ gdp + capmob + trade, model = "normal.bayes",
+      data = macro, verbose = TRUE)
```

Checking for convergence before summarizing the estimates:

```
> geweke.diag(z.out$coefficients)
```

```

> heidel.diag(z.out$coefficients)
> raftery.diag(z.out$coefficients)
> summary(z.out)

```

Setting values for the explanatory variables to their sample averages:

```
> x.out <- setx(z.out)
```

Simulating quantities of interest from the posterior distribution given `x.out`:

```

> s.out1 <- sim(z.out, x = x.out)
> summary(s.out1)

```

2. Simulating First Differences

Set explanatory variables to their default(mean/mode) values, with high (80th percentile) and low (20th percentile) trade on GDP:

```

> x.high <- setx(z.out, trade = quantile(macro$trade, prob = 0.8))
> x.low <- setx(z.out, trade = quantile(macro$trade, prob = 0.2))

```

Estimating the first difference for the effect of high versus low trade on unemployment rate:

```

> s.out2 <- sim(z.out, x = x.high, x1 = x.low)
> summary(s.out2)

```

Model

- The *stochastic component* is given by

$$\epsilon_i \sim \text{Normal}(0, \sigma^2)$$

where $\epsilon_i = Y_i - \mu_i$.

- The *systematic component* is given by

$$\mu_i = x_i\beta,$$

where x_i is the vector of k explanatory variables for observation i and β is the vector of coefficients.

- The *semi-conjugate priors* for β and σ^2 are given by

$$\begin{aligned}\beta &\sim \text{Normal}_k(b_0, B_0^{-1}) \\ \sigma^2 &\sim \text{InverseGamma}\left(\frac{c_0}{2}, \frac{d_0}{2}\right)\end{aligned}$$

where b_0 is the vector of means for the k explanatory variables, B_0 is the $k \times k$ precision matrix (the inverse of a variance-covariance matrix), and $c_0/2$ and $d_0/2$ are the shape and scale parameters for σ^2 . Note that β and σ^2 are assumed to be *a priori* independent.

Quantities of Interest

- The expected values (`qi$ev`) for the linear regression model are calculated as following:

$$E(Y) = x_i\beta,$$

given posterior draws of β based on the MCMC iterations.

- The first difference (`qi$fd`) for the linear regression model is defined as

$$\text{FD} = E(Y | X_1) - E(Y | X).$$

- In conditional prediction models, the average expected treatment effect (`qi$att.ev`) for the treatment group is

$$\frac{1}{\sum_{i=1}^n t_i} \sum_{i:t_i=1} \{Y_i(t_i = 1) - E[Y_i(t_i = 0)]\},$$

where t_i is a binary explanatory variable defining the treatment ($t_i = 1$) and control ($t_i = 0$) groups.

- In conditional prediction models, the average predicted treatment effect (`att.pr`) for the treatment group is

$$\frac{1}{\sum_{i=1}^n t_i} \sum_{i:t_i=1}^n \left\{ Y_i(t_i = 1) - \widehat{Y_i(t_i = 0)} \right\},$$

where t_i is a binary explanatory variable defining the treatment ($t_i = 1$) and control ($t_i = 0$) groups.

Output Values

The output of each Zelig command contains useful information which you may view. For example, if you run:

```
z.out <- zelig(y ~ x, model = "normal.bayes", data)
```

then you may examine the available information in `z.out` by using `names(z.out)`, see the draws from the posterior distribution of the `coefficients` by using `z.out$coefficients`, and view a default summary of information through `summary(z.out)`. Other elements available through the `$` operator are listed below.

- From the `zelig()` output object `z.out`, you may extract:
 - `coefficients`: draws from the posterior distributions of the estimated parameters. The first k columns contain the posterior draws of the coefficients β , and the last column contains the posterior draws of the variance σ^2 .
 - `zelig.data`: the input data frame if `save.data = TRUE`.
 - `seed`: the random seed used in the model.
- From the `sim()` output object `s.out`:
 - `qi$ev`: the simulated expected values for the specified values of `x`.
 - `qi$fd`: the simulated first difference in the expected values for the values specified in `x` and `x1`.
 - `qi$att.ev`: the simulated average expected treatment effect for the treated from conditional prediction models.

How to Cite

To cite the `normal.bayes` Zelig model:

Ben Goodrich and Ying Lu. 2007. "normal.bayes: Bayesian Normal Linear Regression" in Kosuke Imai, Gary King, and Olivia Lau, "Zelig: Everyone's Statistical Software," <http://gking.harvard.edu/zelig>

To cite Zelig as a whole, please reference these two sources:

Kosuke Imai, Gary King, and Olivia Lau. 2007. "Zelig: Everyone's Statistical Software," <http://GKing.harvard.edu/zelig>.

Imai, Kosuke, Gary King, and Olivia Lau. (2008). "Toward A Common Framework for Statistical Analysis and Development." *Journal of Computational and Graphical Statistics*, Vol. 17, No. 4 (December), pp. 892-913.

See also

Bayesian normal regression is part of the MCMCpack library by Andrew D. Martin and Kevin M. Quinn (Martin and Quinn 2005). The convergence diagnostics are part of the CODA library by Martyn Plummer, Nicky Best, Kate Cowles, and Karen Vines (Plummer et al. 2005).

Bibliography

Martin, A. D. and Quinn, K. M. (2005), *MCMCpack: Markov chain Monte Carlo (MCMC) Package*.

Plummer, M., Best, N., Cowles, K., and Vines, K. (2005), *coda: Output analysis and diagnostics for MCMC*.