

Package ‘nanostingr’

August 15, 2023

Type Package

Title Performs Quality Control, Data Normalization, and Batch Effect Correction for 'NanoString nCounter' Data

Version 0.4.1

Description Provides quality control (QC), normalization, and batch effect correction operations for 'NanoString nCounter' data, Talhouk et al. (2016) <[doi:10.1371/journal.pone.0153844](https://doi.org/10.1371/journal.pone.0153844)>. Various metrics are used to determine which samples passed or failed QC. Gene expression should first be normalized to housekeeping genes, before a reference-based approach is used to adjust for batch effects. Raw NanoString data can be imported in the form of Reporter Code Count (RCC) files.

License MIT + file LICENSE

URL <https://github.com/TalhoukLab/nanostingr/>,
<https://talhouklab.github.io/nanostingr/>

BugReports <https://github.com/TalhoukLab/nanostingr/issues>

Depends R (>= 3.5.0)

Imports assertthat, ccaPP, dplyr, purrr, rlang, tidyr

Suggests covr, knitr, magrittr, rmarkdown, testthat

VignetteBuilder knitr

Encoding UTF-8

LazyData TRUE

RoxygenNote 7.2.3

NeedsCompilation no

Author Derek Chiu [aut, cre] (<<https://orcid.org/0000-0002-7591-4881>>),
Aline Talhouk [aut] (<<https://orcid.org/0000-0001-7760-410X>>),
Samuel Leung [aut] (<<https://orcid.org/0000-0003-0138-7254>>)

Maintainer Derek Chiu <dchiu@bccrc.ca>

Repository CRAN

Date/Publication 2023-08-15 17:00:02 UTC

R topics documented:

CCplot	2
cohort	4
expQC	5
HKnorm	5
NanoStringQC	6
normalize_pools	7
normalize_random	8
rcc	9
refMethod	10

Index	11
--------------	-----------

CCplot	<i>Concordance Correlation Plot</i>
--------	-------------------------------------

Description

Plotting function for reliability measure.

Usage

```
CCplot(
  method1,
  method2,
  Ptype = "None",
  metrics = FALSE,
  xlabel = "",
  ylabel = "",
  title = "",
  subtitle = NULL,
  xrange = NULL,
  yrange = NULL,
  MArange = c(-3.5, 5.5)
)
```

Arguments

method1	measurements obtained in batch 1 or using method 1
method2	measurements obtained in batch 2 or using method 2
Ptype	type of plot to be outputted c("scatter", "MAplot")
metrics	if TRUE, prints Rc, Ca, and R2 to console
xlabel	x-axis label for scatterplot
ylabel	y-axis label for scatterplot
title	title for the main plot

subtitle	subtitle of plot
xrange	range of x axis
yrange	range of y axis
MArange	MA range

Value

Either a scatterplot or MA plot showing concordance correlation.

Author(s)

Aline Talhouk

Examples

```
# Simulate normally distributed data
set.seed(12)
a1 <- rnorm(20) + 2
a2 <- a1 + rnorm(20, 0, 0.15)
a3 <- a1 + rnorm(20, 0, 0.15) + 1.4
a4 <- 1.5 * a1 + rnorm(20, 0, 0.15)
a5 <- 1.3 * a1 + rnorm(20, 0, 0.15) + 1
a6 <- a1 + rnorm(20, 0, 0.8)

# One scatterplot
CCplot(a1, a2, Ptype = "scatter")

m2 <- list(a1, a2, a3, a4, a5, a6)
mains <- c("Perfect Agreement", "Very Good Agreement", "Location Shift",
          "Scale Shift", "Location and Scale Shift", "Measurement Error")
subs <- letters[1:6]
par(mfrow = c(3, 2), mar = c(5.1, 4.1, 1.5, 1.5))

# Scatterplots
mapply(function(y, t, s)
  CCplot(method1 = a1, method2 = y, Ptype = "scatter",
         xlabel = "X", ylabel = "Y", title = t, subtitle = s),
  y = m2, t = mains, s = subs)

# MAplots and show metrics
mapply(function(y, t, s)
  CCplot(method1 = a1, method2 = y, Ptype = "MAplot",
         title = t, subtitle = s, metrics = TRUE),
  y = m2, t = mains, s = subs)
```

cohort

NanoString Experiment Cohorts

Description

There were five different cohorts used in NanoString experiments.

Usage

`hld.r`

`ovd.r`

`ovc.r`

`hlo.r`

`ovo.r`

Format

- `hld.r` Hodgkin Lymphoma Clinical Samples: a data frame with 232 rows and 77 columns
- `ovd.r` Ovarian Cancer Clinical Samples: a data frame with 133 rows and 261 columns
- `ovc.r` Ovarian Cancer Cell Lines: a data frame with 133 rows and 29 columns
- `hlo.r` DNA Oligonucleotides for the HL CodeSet: a data frame with 40 rows and 71 columns
- `ovo.r` DNA Oligonucleotides for the OC CodeSet: a data frame with 133 rows and 138 columns

An object of class `data.frame` with 232 rows and 77 columns.

An object of class `data.frame` with 133 rows and 261 columns.

An object of class `data.frame` with 133 rows and 29 columns.

An object of class `data.frame` with 40 rows and 71 columns.

An object of class `data.frame` with 133 rows and 138 columns.

Details

Each data object contains raw expression counts, so no normalization has been applied. The format is a data frame with genes as rows, samples as columns. Note that the first three columns contain gene metadata and are always labelled "Code.Class", "Name", and "Accession", and the rest are sample names. Hence, for the `hld.r` data, the raw counts are contained in 232 genes for $77 - 3 = 74$ samples. The total number of samples is $74 + 258 + 26 + 68 + 135 = 561$, which matches the number of rows in `expQC`, the expression QC data.

Source

See Table 1 of <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0153844> for details.

See Also[expQC](#)

`expQC`*Expression QC data*

Description

Quality control metrics for the five cohorts analyzed in NanoString experiments.

Format

A data frame with 561 rows and 23 columns.

Details

The total number of samples from the five cohorts is 561.

See Also[cohort](#)

`HKnorm`*Normalization to Housekeeping Genes*

Description

Normalizes the gene expression of NanoString nCounter data to housekeeping genes. This is done by subtracting the average log housekeeping gene expression from the expression level of every gene in each sample.

Usage

```
HKnorm(raw, is.logged = FALSE, corr = 1e-04)
```

Arguments

<code>raw</code>	data frame of raw counts obtained from nCounter (rows represent genes, columns represent samples). The first three columns must be labeled: <code>c("Code.Class", "Name", "Accession")</code> and contain that information.
<code>is.logged</code>	logical; If TRUE, normalization has already been done on log base 2 scale, no need log the data
<code>corr</code>	small correction to avoid error

Value

data frame of log normalized data in the same format but without reference genes

Author(s)

Aline Talhouk, Derek Chiu

Examples

```
HKnorm(ovd.r)
HKnorm(ovd.r, is.logged = TRUE)
```

NanoStringQC

QC metrics for NanoString Data

Description

Computes and returns NanoString quality control metrics and flags.

Usage

```
NanoStringQC(raw, exp, detect = 80, sn = 150)
```

Arguments

raw	data frame of raw counts obtained from nCounter (rows represent genes, columns represent samples). The first three columns must be labeled: c("Code.Class", "Name", "Accession") and contain that information.
exp	data frame of annotations with rows in the same order as the columns of raw. Requires a column labeled "File.Name" with entries corresponding to sample names in raw, also needs columns c("fov.counted", "fov.count", "binding.density"). These fields can be extracted from the nanostring RCC files.
detect	threshold of percentage of genes expressed over limit of detection (LOD) that we would like to detect (not decimal), defaults to 80 percent.
sn	signal to noise ratio of the housekeeping genes we are willing to tolerate, defaults to 150.

Value

data frame of annotations updated with normalization parameters

Author(s)

Aline Talhouk, Derek Chiu

Examples

```
exp.OVD <- subset(expQC, OVD == "Yes")
expOVD <- NanoStringQC(ovd.r, exp.OVD)
```

normalize_pools	<i>Normalize data using common pools</i>
-----------------	--

Description

Normalize nanostring gene expression using common pools between two CodeSets.

Usage

```
normalize_pools(x, ref, x_pools, ref_pools, p = 3, weigh = TRUE)
```

Arguments

x	target data
ref	reference data
x_pools	target pool samples
ref_pools	reference pool samples
p	number of pool sample sets. Defaults to 3.
weigh	logical; if TRUE, the average expression in x_pools is reweighed by the distribution of the p pool sample sets in ref_pools.

Details

The target and reference expression samples, as well the target and reference pool samples all need to be specified. We recommend reweighing the target pool samples when calculating the average expression by the distribution of reference pools.

Value

normalized gene expression

Author(s)

Derek Chiu

normalize_random	<i>Normalize data using random reference samples</i>
------------------	--

Description

Normalize nanostring gene expression using randomly chosen samples for the reference-based approach for batch adjustment.

Usage

```
normalize_random(x, ref, n = 1, strata = NULL, seed = NULL)
```

Arguments

x	target data
ref	reference data
n	number of random reference samples to select for normalization
strata	a grouping variable for stratified random sampling. If strata has k levels, then n * k random samples are selected.
seed	random seed for reproducibility

Details

The number of randomly chosen numbers can be selected, and optionally a strata can be specified such that n reference samples are selected from each level (like a stratified bootstrap). In relation to the reference method, the random samples removed from ref form R1, the random samples removed from x form R2, and the remaining samples from x form Y. See refMethod() for details.

In subsequent analyses, we refer to a method using normalize_random(n) as the "Random n" method.

Value

normalized gene expression

Author(s)

Derek Chiu

rcc *Read NanoString RCC files*

Description

Read RCC files and extract count and attribute data. Use `read_rcc()` for multiple files, and use the `parse_*()` functions for single files.

Usage

```
read_rcc(path = ".")  
  
parse_counts(file)  
  
parse_attributes(file)
```

Arguments

<code>path</code>	directory path for multiple RCC files
<code>file</code>	RCC file name

Details

RCC files for a sample are direct outputs from NanoString runs. We can extract counts for each gene in a sample. Sample attributes include sample ID, GeneRLF, date, cartridge ID, lane number, Fov count, Fov counted, and binding density. `read_rcc()` merges both count and attribute data across samples.

If `path` points to a zipped RCC file with multiple samples, the zip file is uncompressed and a directory of RCC sample files is created with the same name. Only file extensions ".RCC" or ".rcc" are allowed.

Value

`read_rcc()` reads in a directory of RCC files and outputs a list with two elements:

- `raw`: A tibble of parsed counts for multiple RCC files created by calling `parse_counts()` on each sample. Columns include "Code.Class", "Name", "Accession", and a column for each sample ID. There is one row per gene.
- `exp`: A tibble of parsed attributes for multiple RCC files created by calling `parse_attributes()` on each sample. Columns include "File.Name" (sample ID), "geneRLF", "nanosting.date", "cartridgeID", "lane.number", "fov.count", "fov.counted", "binding.density". There is one row per sample.

`parse_counts()` reads a single RCC file and returns a tibble of parsed counts.

`parse_attributes()` reads a single RCC file and returns a list of parsed attributes.

Author(s)

Derek Chiu

Examples

```
rcc_file <- system.file("extdata", "example.RCC", package = "nanostringr")
parse_counts(rcc_file)
parse_attributes(rcc_file)
```

refMethod

Reference-based approach for batch adjustment

Description

Batch adjustment by considering a measure relative to a reference sample

Usage

```
refMethod(Y, R1, R2)
```

Arguments

Y	data run in first or second batch, samples are rows and genes are columns. If correcting one batch only R1 is needed and would correspond to reference run in the same batch as Y, if calibrating one batch to the other Y represents the data from batch 2 and R1 would be reference run in batch 1 and R2 would be reference from batch 2
R1	reference data run in the first batch
R2	reference data run in the second batch

Value

The Y data adjusted calibrated to batch 1 (if two batches are presented) or the data with reference sample expression removed if only one data is provided

Author(s)

Aline Talhouk

Examples

```
set.seed(12)
A <- matrix(rnorm(120), ncol = 10)
B <- matrix(rnorm(80), ncol = 10)
C <- matrix(rnorm(50), ncol = 10)
refMethod(A, B, C)
```

Index

* datasets

cohort, 4

CCplot, 2

cohort, 4, 5

expQC, 4, 5, 5

HKnorm, 5

hld.r (cohort), 4

hlo.r (cohort), 4

NanoStringQC, 6

normalize_pools, 7

normalize_random, 8

ovc.r (cohort), 4

ovd.r (cohort), 4

ovo.r (cohort), 4

parse_attributes (rcc), 9

parse_counts (rcc), 9

rcc, 9

read_rcc (rcc), 9

refMethod, 10