

Package ‘pubchem.bio’

December 12, 2025

Title Biologically Informed Metabolomic Libraries from 'PubChem'

Version 1.0.3

Description All 'PubChem' compounds are downloaded to a local computer, but for each compound, only partial records are used. The data are organized into small files referenced by 'PubChem' CID. This package also contains functions to parse the biologically relevant compounds from all 'PubChem' compounds, using biological database sources, pathway presence, and taxonomic relationships. Taxonomy is used to generate a lowest common ancestor taxonomy ID (NCBI) for each biological metabolite, which then enables creation of taxonomically specific metabolome databases for any taxon.

License GPL-3

Encoding UTF-8

Imports foreach, doParallel, R.utils, data.table, dplyr, rcdk,
stringr, curl, MetaboCoreUtils, CHNOSZ, CompoundDb, RSQLite

Depends R (>= 3.5.0)

LazyData true

Suggests utils, knitr, rmarkdown, formatR

RoxygenNote 7.3.2

VignetteBuilder knitr

NeedsCompilation no

Author Corey Broeckling [aut, cre]

Maintainer Corey Broeckling <cbroeck1@colostate.edu>

Repository CRAN

Date/Publication 2025-12-12 16:40:02 UTC

Contents

build.cid.lca	2
build.element.count	5
build.primary.metabolome	6
build.pubchem.bio	7
build.taxon.metabolome	11

cid.accurate.mass	13
cid.cas	13
cid.formula	13
cid.inchi	14
cid.inchikey	14
cid.lca	14
cid.mesh.function	15
cid.mesh.name	15
cid.monoisotopic	15
cid.monoisotopic.mass	16
cid.parent	16
cid.pmid	16
cid.pmid.ct	17
cid.preferred	17
cid.pwid	17
cid.sid	18
cid.smiles	18
cid.synonym	18
cid.taxid	19
cid.title	19
export.ComoundDb	19
export.msfinder	21
export.pubchem.bio	21
export.sirius	22
get.pubchem.ftp	23
pc.bio.subset	24
pubchem.bio	24
sub.taxid.hierarchy	25
taxid.hierarchy	25

Index	26
--------------	-----------

build.cid.lca	<i>build.cid.lca</i>
---------------	----------------------

Description

utilizes downloaded and properly formatted local pubchem data created by 'get.pubchem.ftp' as input to generate a relationship between pubchem CID and the lowest common ancestor NCBI taxid

Usage

```
build.cid.lca(
  pc.directory = NULL,
  tax.sources = "LOTUS - the natural products occurrence database",
  use.pathways = TRUE,
  use.conservd.pathways = FALSE,
```

```

    threads = 8,
    cid.taxid.object = NULL,
    taxid.hierarchy.object = NULL,
    cid.pwid.object = NULL,
    min.taxid.table.length = 3,
    output.directory = NULL
  )

```

Arguments

pc.directory	directory from which to load pubchem .Rdata files. alternatively provide cid.taxid.object, taxid.hierarchy.object, and cid.pwid.object as data.table R objects.
tax.sources	vector. which taxonomy sources should be used? defaults to c("LOTUS - the natural products occurrence database", "The Natural Products Atlas", "KNAP-SAcK Species-Metabolite Database", "Natural Product Activity and Species Source (NPASS)").
use.pathways	logical. default = TRUE, should pathway data be used in building lowest common ancestor, when taxonomy is associated with a pathway?
use.conservd.pathways	logical. default = FALSE, should 'conserved' pathways be used? when false, only pathways with an assigned taxonomy are used.
threads	integer. number of threads to use when finding lowest common ancestor. parallel processing via DoParallel and foreach packages.
cid.taxid.object	R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory
taxid.hierarchy.object	R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory
cid.pwid.object	R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory
min.taxid.table.length	integer. when there are few taxa reported to synthesize a particular compound, and those few taxa are spread widely across biology, the LCA concept breaks down. This value controls the decision as to whether to determine LCA within taxonomic ranks, rather within the full taxonomy hierarchy. see details.
output.directory	directory to which the pubchem.bio database is saved. If NULL, will try to save in pc.directory (if provided). If both directories are NULL, not saved, only returned as in memory

Details

utilizes downloaded and properly formatted local pubchem data created by 'get.pubchem.ftp' function

Some metabolism is highly conserved - all species perform those reactions. Other metabolism is highly specific - there is one know species to produce that metabolite. Sometimes, it is in between. The lowest common ancestor approach allows us to analyze these patterns and put them to use to generalize metabolites for metabolomics across species.

Biology is more complex than that though. Natural products are often reported as being synthesized by an organism which is in symbiosis with a second organism. The taxonomic assignment is sometimes both organisms, even if neither would create that product in isolation, or if only one is actually capable of producing that metabolite. In these situations, the LCA approach can break down. For example, if a bacteria is in symbiosis with an algae, and each is listed as producing the metabolite, the LCA will be assigned as '1' - the root of all biology, since we have to go back to the base of the taxonomic tree to find the common taxonomic ancestor of prokaryotes and eukaryotes. In this example, there are two unique species, genera, families, orders, etc listed in the full taxonomic hierarchy for this metabolite.

The 'min.unique.taxid.ct' variable controls sensitivity to this phenomenon in assigning LCA. The number of unique taxa which are mapped to each metabolite varies by taxonomic level. it may map to two species, but only one genus. in that case, the genus is assigned as the LCA. However, if the metabolite maps to two unique species, two unique genera, two unique families, two unique kingdoms, and one unique domain, we should ask ourselves whether this sparse patterns supports that this metabolite should be marked as conserved' or 'primary.' What makes more intuitive sense is to conclude that there are may be extenuating circumstances which have resulted from unique biology. For example, Ceratodictyol B is reported from *Haliclona cymaeformis* and *Ceratodictyon spongiosum*, one of which is a red algal symbiont of the other. At each taxonomic level, there are either 0, 1, or 2 unique taxonomy IDs. 0 unique levels is uninteresting - that just reflects that there is no taxonomy assigned for those lineages at that level.

What is more interesting is the number of unique levels of the number of unique taxonomy ids. in the case of Ceratodictyol B, the only other value is '2'. There are 2 unique taxonomy IDs at each level species, genus, order, class, and phylum. So there are five taxonomic levels that have exactly 2 unique taxonomy IDs, and there are no taxonomic levels which have more than 2 unique taxids. We will call this the taxid.ct.table length, where the taxid.ct.table is the table of frequencies of the number of unique taxids at each taxonomic level. the length is the number of unique values when IGNORING '0' or '1'. When the taxid.ct.table length is less than or equal to min.taxid.table.length, the lca is calculated within the lowest taxonomic level that has the most frequent unique taxonomy ID count.

For the Ceratodictyol B example, this would mean that we would find that '2' was the most common number of unique taxids reported, so we find that the lowest taxonomic level which reports two unique taxids is 'species'. LCA is for assigned to those two species. If however, there were two *Ceratodicyon* spp reported, then the species level would have 3 unique taxids, and there would be 4 levels (rather than five) which have 2 unique taxids. the lowest taxonomic level with 2 unique taxids, the most frequent count observed, would now be 'genus', so LCA would be assigned for within each level of 'genus'. This would mean that the first LCA would be assigned to the *Ceratodicyon* genus, since there are multiple *Ceratodicyon* species reported, and then a second LCA would be assigned to the *Haliclona cymaeformis* species. Sorry it is so complicated. Life is complicated.

Value

nothing. will save to pc.directory as .Rdata file.

Author(s)

Corey Broeckling

Examples

```
data('cid.taxid', package = "pubchem.bio")
data('taxid.hierarchy', package = "pubchem.bio")
data('cid.pwid', package = "pubchem.bio")
cid.lca.out <- build.cid.lca(
  tax.sources = "LOTUS - the natural products occurrence database",
  use.pathways = FALSE,
  threads = 1, cid.taxid.object = cid.taxid,
  taxid.hierarchy.object = taxid.hierarchy,
  cid.pwid.object = cid.pwid)
head(cid.lca.out)
```

build.element.count	<i>build.element.count</i>
---------------------	----------------------------

Description

takes as input an pubchem.bio data.table (generally produced by 'build.pubchem.bio' or 'build.taxon.metabolome') and removes inorganic compounds (those without any carbon).

Usage

```
build.element.count(
  pc.directory = NULL,
  pubchem.bio.object = NULL,
  remove.homonuclear.molecules = TRUE,
  remove.inorganics = TRUE
)
```

Arguments

pc.directory	directory from which to load pubchem .Rdata files
pubchem.bio.object	R data.table, generally produced by build.pubchem.bio; preferably, define pc.directory
remove.homonuclear.molecules	logical. default = TRUE. should molecules with one element (or fewer) be removed?
remove.inorganics	logical. default = TRUE. Should inorganic molecules (no carbon) be removed?

Details

utilizes downloaded and properly formatted local pubchem data created by 'build.pubchem.bio' function, removes inorganic compounds. note that for any formula which have charge noted '+' or '-', the charge is removed for tabulation of the element count.

Value

a data.table, same as input, except inorganics will have been removed.

Author(s)

Corey Broeckling

build.primary.metabolome
build.primary.metabolome

Description

utilizes downloaded and properly formatted local pubchem data created by 'get.pubchem.ftp' function to filter a dataset created by 'build.pubchem.bio' function

Usage

```
build.primary.metabolome(  
  pc.directory = NULL,  
  get.properties = FALSE,  
  threads = 8,  
  db.name = "primary.metabolome",  
  rcdk.desc = c("org.openscience.cdk.qsar.descriptors.molecular.XLogPDescriptor",  
    "org.openscience.cdk.qsar.descriptors.molecular.AcidicGroupCountDescriptor",  
    "org.openscience.cdk.qsar.descriptors.molecular.BasicGroupCountDescriptor",  
    "org.openscience.cdk.qsar.descriptors.molecular.TPSADescriptor"),  
  pubchem.bio.object = NULL,  
  output.directory = NULL,  
  keep.primary.only = TRUE,  
  min.tax.ct = 3  
)
```

Arguments

pc.directory	directory from which to load pubchem .Rdata files
get.properties	logical. if TRUE, will return rcdk calculated properties: XLogP, TPSA, HBond-DonorCount and HBondAcceptorCount.
threads	integer. how many threads to use when calculating rcdk properties. parallel processing via DoParallel and foreach packages.
db.name	character. what do you wish the file name for the saved version of this database to be? default = 'primary.metabolome.' Saved as an .Rdata file in the 'pc.directory' location.

rcdk.desc	vector. character vector of valid rcdk descriptors. default = <code>rcdk.desc <- c("org.openscience.cdk.qsar.descriptors.molecular.AcidicGroupCountDescriptor", "org.openscience.cdk.qsar.descriptors.molecular.BasicGroupCountDescriptor", "org.openscience.cdk.qsar.descriptors.molecular.ChargeDescriptor", "org.openscience.cdk.qsar.descriptors.molecular.MolecularWeightDescriptor")</code> . To see descriptor categories: <code>'dc <- rcdk::get.desc.categories(); dc'</code> . To see the descriptors within one category: <code>'dn <- rcdk::get.desc.names(dc[4]); dn'</code> . Note that the four default parameters are relatively fast to calculate - some descriptors take a very long time to calculate. you can calculate as many as you wish, but processing time will increase the more descriptors are added.
pubchem.bio.object	R data.table, generally produced by <code>build.pubchem.bio</code> ; preferably, define <code>pc.directory</code>
output.directory	directory to which the pubchem.bio database is saved. If NULL, will try to save in <code>pc.directory</code> (if provided), else not saved.
keep.primary.only	logical. If TRUE, only biological metabolites scored as 'primary' are returned. If FALSE, full dataset of metabolites is returned, with new logical column, 'primary'
min.tax.ct	integer. if assigned an integer value, only those metabolites with at least min.tax.ct unique taxonomy assignments are considered 'primary'. default = 3.

Details

utilizes downloaded and properly formatted local pubchem data created by 'get.pubchem.ftp' function

Value

a data frame containing pubchem CID ('cid'), and lowest common ancestor ('lca') NCBI taxonomy ID integer. will also save to `pc.directory` as .Rdata file.

Author(s)

Corey Broeckling `data('pubchem.bio', package = "pubchem.bio")` `my.primary.db <- build.primary.metabolome(pubchem.bio.object = pubchem.bio, get.properties = FALSE, threads = 1)` `head(my.taxon.db)`

<code>build.pubchem.bio</code>	<i>build.pubchem.bio</i>
--------------------------------	--------------------------

Description

utilizes downloaded and properly formatted local pubchem data created by 'get.pubchem.ftp' function

Usage

```

build.pubchem.bio(
  pc.directory = NULL,
  use.bio.sources = TRUE,
  bio.sources = c("Metabolomics Workbench", "Human Metabolome Database (HMDB)", "ChEBI",
    "LIPID MAPS", "MassBank of North America (MoNA)"),
  use.pathways = TRUE,
  pathway.sources = NULL,
  use.taxid = TRUE,
  taxonomy.sources = NULL,
  use.parent.cid = TRUE,
  remove.salts = TRUE,
  remove.inorganics = FALSE,
  mw.range = c(50, 2000),
  get.properties = TRUE,
  threads = 8,
  rcdk.desc = c("org.openscience.cdk.qsar.descriptors.molecular.XLogPDescriptor",
    "org.openscience.cdk.qsar.descriptors.molecular.AcidityGroupCountDescriptor",
    "org.openscience.cdk.qsar.descriptors.molecular.BasicGroupCountDescriptor",
    "org.openscience.cdk.qsar.descriptors.molecular.TPSADescriptor"),
  cid.lca.object = NULL,
  cid.sid.object = NULL,
  cid.pwid.object = NULL,
  cid.parent.object = NULL,
  cid.taxid.object = NULL,
  cid.formula.object = NULL,
  cid.smiles.object = NULL,
  cid.inchikey.object = NULL,
  cid.inchi.object = NULL,
  cid.monoisotopic.mass.object = NULL,
  cid.title.object = NULL,
  cid.cas.object = NULL,
  cid.pmid.ct.object = NULL,
  output.directory = NULL
)

```

Arguments

- | | |
|-----------------|--|
| pc.directory | directory from which to load pubchem .Rdata files. alternatively, provide R data.tables for ALL cid. <i>property</i> .object options defined below. |
| use.bio.sources | logical. If TRUE (default) use the bio.source vector of sources, incorporating all CIDs from those bio databases. |
| bio.sources | vector of source names from which to extract pubchem CIDs. all can be found here: https://pubchem.ncbi.nlm.nih.gov/sources/ . defaults to c("Metabolomics Workbench", "Human Metabolome Database (HMDB)", "ChEBI", "LIPID MAPS", "MassBank of North America (MoNA)") |

use.pathways	logical. should all CIDs from any biological pathway data be incorporated into database?
pathway.sources	character. vector of sources to be used when adding metabolites to pubchem bio database. default = NULL, using all pathway sources.
use.taxid	logical. should all CIDs associated with a taxonomic identifier (taxid) be used?
taxonomy.sources	character. vector of sources to be used when adding taxonomically related metabolites to database. Default = NULL, using all sources.
use.parent.cid	logical. should CIDs be replaced with parent CIDs? default = TRUE.
remove.salts	logical. should salts be removed from dataset? default = TRUE. salts recognized as '.' in smiles string. performed after 'use.parent.cid'.
remove.inorganics	logical. should inorganic molecules (those with no carbon) be removed? default = FALSE.
mw.range	vector. numerical vector of length = 2. default = c(50, 2000).
get.properties	logical. if TRUE, will return rcdk calculated properties: XLogP, TPSA, HBond-DonorCount and HBondAcceptorCount.
threads	integer. how many threads to use when calculating rcdk properties. parallel processing via DoParallel and foreach packages.
rcdk.desc	vector. character vector of valid rcdk descriptors. default = rcdk.desc <- c("org.openscience.cdk.qsar.descriptors.molecular.AcidicGroupCountDescriptor", "org.openscience.cdk.qsar.descriptors.molecular.BasicGroupCountDescriptor", "org.openscience.cdk.qsar.descriptors.molecular.MolarWeightDescriptor", "org.openscience.cdk.qsar.descriptors.molecular.TopologicalMolarWeightDescriptor"). To see descriptor categories: 'dc <- rcdk::get.desc.categories(); dc'. To see the descriptors within one category: 'dn <- rcdk::get.desc.names(dc[4]); dn'. Note that the four default parameters are relatively fast to calculate - some descriptors take a very long time to calculate. you can calculate as many as you wish, but processing time will increase the more descriptors are added.
cid.lca.object	R data.table, generally produced by build.cid.lca; preferably, define pc.directory
cid.sid.object	R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory
cid.pwid.object	R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory
cid.parent.object	R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory
cid.taxid.object	R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory
cid.formula.object	R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory
cid.smiles.object	R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory
cid.inchikey.object	R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory
cid.inchi.object	R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory

cid.monoisotopic.mass.object
 R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory

cid.title.object
 R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory

cid.cas.object
 R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory

cid.pmid.ct.object
 R data.table, generally produced by get.pubchem.ftp; preferably, define pc.directory

output.directory
 directory to which the pubchem.bio database is saved. If NULL, will try to save in pc.directory (if provided), else not saved.

Details

utilizes downloaded and properly formatted local pubchem data created by 'get.pubchem.ftp' function

Value

a data frame containing pubchem CID, title, formula, monoisotopic molecular weight, inchikey, smiles, cas, optionally rcdk properties

Author(s)

Corey Broeckling

Examples

```
data('cid.sid', package = "pubchem.bio")
data('cid.pwid', package = "pubchem.bio")
data('cid.parent', package = "pubchem.bio")
data('cid.taxid', package = "pubchem.bio")
data('cid.formula', package = "pubchem.bio")
data('cid.smiles', package = "pubchem.bio")
data('cid.inchikey', package = "pubchem.bio")
data('cid.inchi', package = "pubchem.bio")
data('cid.monoisotopic.mass', package = "pubchem.bio")
data('cid.title', package = "pubchem.bio")
data('cid.cas', package = "pubchem.bio")
data('cid.pmid.ct', package = "pubchem.bio")
data('cid.lca', package = "pubchem.bio")
pc.bio.out <- build.pubchem.bio(use.pathways = FALSE, use.parent.cid = FALSE,
get.properties = FALSE, threads = 1,
cid.sid.object = cid.sid, cid.pwid.object = cid.pwid,
cid.parent.object = cid.parent, cid.taxid.object = cid.taxid,
cid.formula.object = cid.formula, cid.smiles.object = cid.smiles,
cid.inchikey.object = cid.inchikey, cid.inchi.object = cid.inchi,
cid.monoisotopic.mass.object = cid.monoisotopic.mass,
cid.title.object = cid.title, cid.cas.object = cid.cas,
cid.pmid.ct.object = cid.pmid.ct, cid.lca.object = cid.lca)
head(pc.bio.out)
```

```
build.taxon.metabolome
```

build.taxon.metabolome

Description

utilizes downloaded and properly formatted local pubchem data created by 'get.pubchem.ftp' function to filter a dataset created by 'build.pubchem.bio' function

Usage

```
build.taxon.metabolome(  
  pc.directory = NULL,  
  taxid = c(),  
  get.properties = FALSE,  
  full.scored = TRUE,  
  keep.scored.only = FALSE,  
  aggregation.function = max,  
  threads = 8,  
  db.name = "custom.metabolome",  
  rcdk.desc = c("org.openscience.cdk.qsar.descriptors.molecular.XLogPDescriptor",  
    "org.openscience.cdk.qsar.descriptors.molecular.AcidityGroupCountDescriptor",  
    "org.openscience.cdk.qsar.descriptors.molecular.BasicGroupCountDescriptor",  
    "org.openscience.cdk.qsar.descriptors.molecular.TPSADescriptor"),  
  pubchem.bio.object = NULL,  
  cid.lca.object = NULL,  
  taxid.hierarchy.object = NULL,  
  output.directory = NULL  
)
```

Arguments

pc.directory	directory from which to load pubchem .Rdata files
taxid	integer vector of integer NCBI taxonomy IDs. i.e. c(9606, 1425170) for Homo sapiens and Homo heidelbergensis.
get.properties	logical. if TRUE, will return rcdk calculated properties: XLogP, TPSA, HBond-DonorCount and HBondAcceptorCount.
full.scored	logical. default = FALSE. When false, only metabolites which map to the taxid(s) are returned. When TRUE, all metabolites are returned, with scores assigned based on the distance of non-mapped metabolites to the root node. i.e. specialized metabolites from distantly related species are going to be scored at or near zero, specialized metabolites of more similar species higher, and more conserved metabolites will score higher than ore specialized.
keep.scored.only	logical. If TRUE, biological metabolites with NA for the taxonomy score are removed before returning.


```
get.properties = FALSE, threads = 1, taxid = c(1))  
head(my.taxon.db)
```

cid.accurate.mass	<i>cid.accurate.mass.rda</i>
-------------------	------------------------------

Description

A subset of the full cid.accurate.mass, for example code

Format

data.table, stored in .rda format

Source

subset of cid.accurate.mass file from get.pubchem.ftp

cid.cas	<i>cid.cas.rda</i>
---------	--------------------

Description

A subset of the full cid.cas, for example code

Format

data.table, stored in .rda format

Source

subset of cid.cas file from get.pubchem.ftp

cid.formula	<i>cid.formula.rda</i>
-------------	------------------------

Description

A subset of the full cid.formula, for example code

Format

data.table, stored in .rda format

Source

subset of cid.formula file from get.pubchem.ftp

cid.inchi	<i>cid.inchi.rda</i>
-----------	----------------------

Description

A subset of the full cid.inchi, for example code

A subset of the full cid.inchi, for example code

Format

data.table, stored in .rda format

data.table, stored in .rda format

Source

subset of cid.inchi file from get.pubchem.ftp

subset of cid.inchi file from get.pubchem.ftp

cid.inchikey	<i>cid.inchikey.rda</i>
--------------	-------------------------

Description

A subset of the full cid.inchikey, for example code

Format

data.table, stored in .rda format

Source

subset of cid.inchikey file from get.pubchem.ftp

cid.lca	<i>cid.lca.rda</i>
---------	--------------------

Description

A subset of the full cid.lca, for example code

Format

data.table, stored in .rda format

Source

subset of cid.lca file from get.pubchem.ftp

cid.mesh.function	<i>cid.mesh.function.rda</i>
-------------------	------------------------------

Description

A subset of the full cid.mesh, for example code

Format

data.table, stored in .rda format

Source

subset of cid.mesh file from get.pubchem.ftp

cid.mesh.name	<i>cid.mesh.name.rda</i>
---------------	--------------------------

Description

A subset of the full cid.mesh.name, for example code

Format

data.table, stored in .rda format

Source

subset of cid.mesh.name file from get.pubchem.ftp

cid.monoisotopic	<i>cid.monoisotopic.mass.rda</i>
------------------	----------------------------------

Description

A subset of the full cid.monoisotopic, for example code

Format

data.table, stored in .rda format

Source

subset of cid.monoisotopic file from get.pubchem.ftp

cid.monoisotopic.mass	<i>cid.monoisotopic.mass.rda</i>
-----------------------	----------------------------------

Description

A subset of the full cid.monoisotopic.mass, for example code

Format

data.table, stored in .rda format

Source

subset of cid.accurate.mass file from get.pubchem.ftp

cid.parent	<i>cid.parent.rda</i>
------------	-----------------------

Description

A subset of the full cid.parent, for example code

Format

data.table, stored in .rda format

Source

subset of cid.parent file from get.pubchem.ftp

cid.pmid	<i>cid.pmid.rda</i>
----------	---------------------

Description

A subset of the full cid.pmid, for example code

Format

data.table, stored in .rda format

Source

subset of cid.pmid file from get.pubchem.ftp

cid.pmid.ct	<i>cid.pmid.ct.rda</i>
-------------	------------------------

Description

A subset of the full cid.pmid.ct, for example code

Format

data.table, stored in .rda format

Source

subset of cid.pmid.ct file from get.pubchem.ftp

cid.preferred	<i>cid.preferred.rda</i>
---------------	--------------------------

Description

A subset of the full cid.preferred, for example code

Format

data.table, stored in .rda format

Source

subset of cid.preferred file from get.pubchem.ftp

cid.pwid	<i>cid.pwid.rda</i>
----------	---------------------

Description

A subset of the full cid.pwid, for example code

Format

data.table, stored in .rda format

Source

subset of cid.pwid file from get.pubchem.ftp

cid.sid	<i>cid.sid.rda</i>
---------	--------------------

Description

A subset of the full cid.sid, for example code

Format

data.table, stored in .rda format

Source

subset of cid.sid file from get.pubchem.ftp

cid.smiles	<i>cid.smiles.rda</i>
------------	-----------------------

Description

A subset of the full cid.smiles, for example code

Format

data.table, stored in .rda format

Source

subset of cid.smiles file from get.pubchem.ftp

cid.synonym	<i>cid.synonym.rda</i>
-------------	------------------------

Description

A subset of the full cid.synonym, for example code

Format

data.table, stored in .rda format

Source

subset of cid.synonym file from get.pubchem.ftp

`cid.taxid`*cid.taxid.rda*

Description

A subset of the full cid.taxid, for example code

Format

data.table, stored in .rda format

Source

subset of cid.taxid file from get.pubchem.ftp

`cid.title`*cid.title.rda*

Description

A subset of the full cid.title, for example code

Format

data.table, stored in .rda format

Source

subset of cid.title file from get.pubchem.ftp

`export.ComboundDb`*export.ComboundDb*

Description

export pubchem.bio pc.bio syle data.table to a CompoundDb database

Usage

```
export.CompoundDb(
  pc.bio.object = NULL,
  pc.directory = NULL,
  path = NULL,
  dbFile = NULL,
  source = NULL,
  source_version = NULL,
  url = NULL,
  source_date = NULL,
  organism = NA_character_,
  get.synonyms = FALSE
)
```

Arguments

pc.bio.object	input data.table, generated from 'build.pubchem.bio' or 'build.taxon.metabolome' functions
pc.directory	directory from which to load pubchem .Rdata files. alternatively, provide R data.tables for ALL <i>cid.property.object</i> options defined below.
path	valid file path specifying the directory to which the database will be saved.
dbFile	valid file name - use .sqlite extension. if NULL, will set to 'pubchem.bio.sqlite'
source	default = NULL. if NULL, will set to 'pubchem.bio'
source_version	default = NULL. if NULL, will set to pubchem.bio version.
url	default = NULL. if NULL, will set to "https://cran.r-project.org/web/packages/pubchem.bio/index.html"
source_date	default = NULL. if NULL, will set to current date via format(Sys.Date(), format = "%Y-%m-%d")
organism	character. default = NA_character_. if this is a species specific database, set to species name or NCBI taxonomy ID number.
get.synonyms	logical. default = FALSE. When TRUE, will load the 'cid.synonyms.Rdata' file from the pc.directory, which must be defined. database product will have all synonyms included. If FALSE, synonyms will be an empty list.

Details

takes output from 'build.pubchem.bio' or 'build.taxon.metabolome' functions, reformatting, and converting to a CompoundDb object and database. see vignette('create-compounddb', package = 'CompoundDb') for more details on the CompoundDb package

Value

'CompDb' from CompoundDb package. see vignette('create-compounddb', package = 'CompoundDb')

Author(s)

Corey Broeckling

export.msfinder	<i>export.msfinder</i>
-----------------	------------------------

Description

export pubchem.bio pc.bio syle data.table to format suitable for MSFinder input.

Usage

```
export.msfinder(pc.bio.object = NULL, export.file.name = NULL)
```

Arguments

pc.bio.object input data.table, generated from 'build.pubchem.bio' or 'build.taxon.metabolome' functions
export.file.name valid file path and name. Extension should be listed as '.tsv'.

Details

takes output from 'build.pubchem.bio' or 'build.taxon.metabolome' functions, reformatting, and exporting to input format suitable for MSFinder.

Value

nothing - file written to disk.

Author(s)

Corey Broeckling

export.pubchem.bio	<i>export.pubchem.bio</i>
--------------------	---------------------------

Description

export pubchem.bio pc.bio syle data.table to tab delimited text file for import into other programs.
all columns exported.

Usage

```
export.pubchem.bio(pc.bio.object = NULL, export.file.name = NULL)
```

Arguments

pc.bio.object input data.table, generated from 'build.pubchem.bio' or 'build.taxon.metabolome' functions
export.file.name valid file path and name. Extension should be listed as '.tsv'.

Details

takes output from 'build.pubchem.bio' or 'build.taxon.metabolome' functions, reformatting, and exporting to input format suitable for MSFinder.

Value

nothing - file written to disk.

Author(s)

Corey Broeckling

export.sirius	<i>export.sirius</i>
---------------	----------------------

Description

export pubchem.bio pc.bio syle data.table to format suitable for sirius input.

Usage

```
export.sirius(pc.bio.object = NULL, export.file.name = NULL)
```

Arguments

pc.bio.object input data.table, generated from 'build.pubchem.bio' or 'build.taxon.metabolome' functions
export.file.name valid file path and name. Extension should be listed as '.tsv'.

Details

takes output from 'build.pubchem.bio' or 'build.taxon.metabolome' functions, reformatting, and exporting to input format suitable for Sirius.

Value

nothing - file written to disk.

Author(s)

Corey Broeckling

get.pubchem.ftp	<i>get.pubchem.ftp</i>
-----------------	------------------------

Description

first step to building a local selective, biologically focused, pubchem data repository focused on metabolomics informatics

Usage

```
get.pubchem.ftp(  
  pc.directory = NULL,  
  timeout = 50000,  
  rm.tmp.files = TRUE,  
  threads = 2  
)
```

Arguments

pc.directory	character. directory to which data will be saved
timeout	numeric. timeout setting for FTP download. setting options(timeout) value too small will generate errors for large files. default = 50000.
rm.tmp.files	logical. should temporary files be removed after completion of download and parsing? Default = TRUE.
threads	integer. the number of parallel threads to be used by foreach %dopar% during processing of taxonomy hierarchy data.

Details

this function downloads and unzips files from pubchem and NCBI taxonomy FTP sites as a first step in building a local metabolomics repository.

Value

nothing. all data are saved to disk for later loading

Author(s)

Corey Broeckling

Examples

```
## Not run:  
my.dir <- "C:/Temp/20250725"  
# or some other valid directory.  
# this will be created assuming 'C:/Temp' exists.  
get.pubchem.ftp(  
  pc.directory = my.dir,  
  timeout = 50000,  
  rm.tmp.files = TRUE,  
  threads = 2  
)
```

```
    pc.directory = my.dir,  
    timeout = 50000,  
    rm.tmp.files = TRUE  
  )  
  
  ## End(Not run)
```

pc.bio.subset	<i>pc.bio.subset.rda</i>
---------------	--------------------------

Description

A small dataset of a pubchem.bio metabolome scored by taxon, for inclusion in vignette

Format

data.table, stored in .rda format

Source

pubchem.bio data.table output derived from build.pubchem.bio function

pubchem.bio	<i>pubchem.bio.rda</i>
-------------	------------------------

Description

A subset of a full pubchem.bio biological metabolome, for example code

Format

data.table, stored in .rda format

Source

subset of pubchem.bio file from build.pubchem.bio function

sub.taxid.hierarchy	<i>sub.taxid.hierarchy.rda</i>
---------------------	--------------------------------

Description

A small dataset of a the taxonomy hierarchy, for inclusion in vignette

Format

data.table, stored in .rda format

Source

pubchem.bio data.table output from NCBI Taxonomy data

taxid.hierarchy	<i>taxid.hierarchy.rda</i>
-----------------	----------------------------

Description

A subset of the full taxid.hierarchy, for example code

Format

data.table, stored in .rda format

Source

pubchem.bio data.table output from NCBI Taxonomy data

Index

`build.cid.lca`, [2](#)
`build.element.count`, [5](#)
`build.primary.metabolome`, [6](#)
`build.pubchem.bio`, [7](#)
`build.taxon.metabolome`, [11](#)

`cid.accurate.mass`, [13](#)
`cid.cas`, [13](#)
`cid.formula`, [13](#)
`cid.inchi`, [14](#)
`cid.inchikey`, [14](#)
`cid.lca`, [14](#)
`cid.mesh.function`, [15](#)
`cid.mesh.name`, [15](#)
`cid.monoisotopic`, [15](#)
`cid.monoisotopic.mass`, [16](#)
`cid.parent`, [16](#)
`cid.pmid`, [16](#)
`cid.pmid.ct`, [17](#)
`cid.preferred`, [17](#)
`cid.pwid`, [17](#)
`cid.sid`, [18](#)
`cid.smiles`, [18](#)
`cid.synonym`, [18](#)
`cid.taxid`, [19](#)
`cid.title`, [19](#)

`export.ComoundDb`, [19](#)
`export.msfinder`, [21](#)
`export.pubchem.bio`, [21](#)
`export.sirius`, [22](#)

`get.pubchem.ftp`, [23](#)

`pc.bio.subset`, [24](#)
`pubchem.bio`, [24](#)

`sub.taxid.hierarchy`, [25](#)

`taxid.hierarchy`, [25](#)