

## Simple JSON RPC with OpenCPU

The `jsonlite` package is used by `OpenCPU` to convert between JSON data and R objects. Thereby clients can retrieve R objects, or remotely call R functions using JSON where the function arguments as well as function return value are JSON objects. For example to download the `Boston` data from the `MASS` package:

Command in R	Example URL on OpenCPU
<code>toJSON(Boston, digits=4)</code>	<code>https://demo.ocpu.io/MASS/data/Boston/json?digits=4</code>
<code>toJSON(Boston, data.frame="col")</code>	<code>https://demo.ocpu.io/MASS/data/Boston/json?data.frame=col</code>
<code>toJSON(Boston, pretty=FALSE)</code>	<code>https://demo.ocpu.io/MASS/data/Boston/json?pretty=false</code>

To calculate the variance of some the numbers 1:9 in the command line using `curl`:

```
curl https://demo.ocpu.io/stats/R/var/json -d "x=[1,2,3,4,5,6,7,8,9]"
```

Or equivalently post the entire body in JSON format:

```
curl https://demo.ocpu.io/stats/R/var/json -H "Content-Type: application/json" \
-d '{"x": [1,2,3,4,5,6,7,8,9]}'
```

Below an example where we call the `melt` function from the `reshape2` package using some example rows from the `airquality` data. Here both input and output consist of a data frame.

```
curl https://demo.ocpu.io/reshape2/R/melt/json -d 'id=["Month", "Day"]&data=[
  { "Ozone" : 41, "Solar.R" : 190, "Wind" : 7.4, "Temp" : 67, "Month" : 5, "Day" : 1 },
  { "Ozone" : 36, "Solar.R" : 118, "Wind" : 8, "Temp" : 72, "Month" : 5, "Day" : 2 } ]'
```

Or equivalently:

```
curl https://demo.ocpu.io/reshape2/R/melt/json -H "Content-Type: application/json" \
-d '{"id" : ["Month", "Day"], "data" : [
  { "Ozone" : 41, "Solar.R" : 190, "Wind" : 7.4, "Temp" : 67, "Month" : 5, "Day" : 1 },
  { "Ozone" : 36, "Solar.R" : 118, "Wind" : 8, "Temp" : 72, "Month" : 5, "Day" : 2 }
] }'
```

This request basically executes the following R code:

```
mydata <- airquality[1:2,]
y <- reshape2::melt(data = mydata, id = c("Month", "Day"))
toJSON(y)
```