

sequenza usage example

Francesco Favero*, Tejal Joshi, Andrea M. Marquard, Aron C. Eklund

October 8, 2015

Contents

1	Abstract	2
2	Getting started	2
2.1	Minimum requirements	2
2.2	Installation	2
2.3	Note on the helper program <code>sequenza-utils.py</code>	2
2.4	Workflow overview	2
3	Preparing inputs for Sequenza	3
3.1	Generating pileup files from BAM files	3
3.2	Generating a genome-wide GC content file	3
3.3	Generate a seqz file	4
3.4	Converting VarScan2 output to seqz	4
4	Exploring the <i>seqz</i> file and depth ratio normalization details	4
4.1	Read the <i>seqz</i> file	5
4.2	Quality control	5
4.3	Normalization of depth ratio	6
5	Analyzing sequencing data with sequenza	7
5.1	Extract the information from the <i>seqz</i> file.	7
5.1.1	Plot chromosome view with mutations, BAF, depth ratio and segments	8
5.2	Inference of cellularity and ploidy	9
5.3	Results of model fitting	9
5.3.1	Confidence intervals, confidence region and point estimate	9
5.4	Call CNVs and mutations using the estimated parameters	12
5.4.1	Detect variant alleles (mutations)	12
5.4.2	Detect copy number variations	13
5.5	Visualize detected copy number changes and variant alleles . . .	14
5.5.1	Genome-wide view of the allele and copy number state . .	16

*favero@cbs.dtu.dk

1 Abstract

Deep sequence of tumor DNA along with corresponding normal DNA can provide a valuable perspective on the mutations and aberrations that characterize the tumor. However, analysis of this data can be impeded by tumor cellularity and heterogeneity and by unwieldy data. Here we describe *Sequenza*, which comprises a fast python-based pre-processor and an R-based analysis package. *Sequenza* enables the efficient estimation of tumor cellularity and ploidy, and generation of copy number, loss-of-heterozygosity, and mutation frequency profiles.

This document details a typical analysis of matched tumor-normal exome sequence data using *sequenza*.

2 Getting started

2.1 Minimum requirements

- Software: R, Python
- Operating system: Linux, OS X, Windows
- Memory: Minimum 4 GB of RAM. Recommended >8 GB.
- Disk space: 1.5 GB for sample
- R version: 2.15.1
- Python version: 2.7 (or Pypy 2.*)

2.2 Installation

In order to install *sequenza*, you can download the package from the nearest CRAN mirror doing:

```
> install.packages("sequenza")
```

2.3 Note on the helper program *sequenza-utils.py*.

For convenience and efficiency we have implemented pre-processing algorithms in a standalone (not called from R) Python program. This program is provided with the R package; its exact location can be found like this:

```
> system.file("exec", "sequenza-utils.py", package="sequenza")
```

You may wish to copy this program to a location on your path.

2.4 Workflow overview

A typical workflow developed with *Sequenza* on pre-aligned sequencing files (BAM format) is structured as follows:

1. Convert pileup to *seqz* format

2. Normalization of depth ratio
3. Allele-specific segmentation using the depth ratio and the B allele frequencies (BAFs)
4. Infer cellularity and ploidy by model fitting
5. Call CNV and variant alleles

3 Preparing inputs for Sequenza

In order to obtain precise mutational and aberration patterns in a tumor sample, Sequenza requires a matched normal sample from the same patient. Typically, the following files are needed to get started with Sequenza.

1. A BAM file (or a derived pileup file) from the tumor specimen.
2. A BAM file (or a derived pileup file) from the normal specimen.
3. A FASTA reference genomic sequence file (to extract GC-content information, and to transform BAM to pileup if needed.)

Alternatively, it is possible to use the output of VarScan2[1] (<http://varscan.sourceforge.net>), which requires a similar approach and the generation of pileups as well. In this case, you can skip ahead to the “Converting VarScan2 output to seqz” section below.

The genome sequence file can be obtained from e.g. <http://hgdownload.cse.ucsc.edu/downloads.html> or <http://www.ensembl.org/info/data/ftp/index.html>.

3.1 Generating pileup files from BAM files

We recommend using pre-processed and quality-filtered BAM files to obtain pileup calls for both samples.

Pileup files can be generated using `samtools`[2]. For example:

```
1 samtools mpileup -f hg19.fasta -Q 20 normal.bam | gzip > normal.pileup.gz
2 samtools mpileup -f hg19.fasta -Q 20 tumor.bam | gzip > tumor.pileup.gz
```

3.2 Generating a genome-wide GC content file

The genome-wide GC content is used to normalize the depth ratio. To obtain the GC content file, you can use a function from `sequenza-utils.py` to extract the average GC content from a genome FASTA file using fixed genomic windows.

The following example calculates GC content in 50-base windows:

```
1 sequenza-utils.py GC-windows -w 50 hg19.fa | gzip > hg19.gc50Base.txt.gz
```

Alternatively, you can download the gc5Base file from golden path (<http://hgdownload-test.cse.ucsc.edu/goldenPath/hg19/gc5Base/>).

3.3 Generate a seqz file

A *seqz* file contains genotype information, alleles and mutation frequency, and other features. This file is used as input for the R-based part of Sequenza.

The *seqz* file is generated like this:

```
1 sequenza-utils.py pileup2seqz -gc hg19.gc50Base.txt.gz \
2                               -n normal.pileup.gz \
3                               -t tumor.pileup.gz | gzip > out.seqz.gz
```

Alternatively, if you haven't already generated the pileup files, and you are not interested in storing the pileup for further use, you can use the function `bam2seqz` which generates two temporary named pipes (*FIFOs*) converting on the fly to pileup using `samtools` without storing the pileup file:

```
1 sequenza-utils.py bam2seqz -gc hg19.gc50Base.txt.gz
2                           --fasta hg19.fasta \
3                           -n normal.fifo \
4                           -t tumor.fifo | gzip > out.seqz.gz
```

To reduce the size of the *seqz* file, we recommend the use of a binning function provided in `sequenza-utils.py`. This binning decreases the memory requirement to load the data into R, and it also speeds up the processing of the sample:

```
1 sequenza-utils.py seqz-binning -w 50 \
2                               -s out.seqz.gz | gzip > out_small.seqz.gz
```

Where the parameter *-w* indicate a window size (in bases), to be used for the binning. This binning has only a negligible effect on Sequenza output. The heterozygous positions and the positions carrying variant calls are not affected by binning.

3.4 Converting VarScan2 output to seqz

Since many projects might already have been processed with VarScan2, it can be convenient to be able to import such results. For this purpose a simple function is provided within the package, to convert the output of the *somatic* and *copynumber* programs of the VarScan2 suite into the *seqz* format.

```
> snp <- read.table("varscan.snp", header = TRUE, sep = "\t")
> cnv <- read.table("varscan.copynumber", header = TRUE, sep = "\t")
> seqz.data <- VarScan2seqz(varscan.somatic = snp, varscan.copynumber = cnv)
> write.table(seqz.data, "my.sample.seqz", col.names = TRUE, row.names = FALSE, sep = "\t")
```

For *whole genome* sequencing, the information in the *varscan.snp* could be sufficient to estimate the ploidy and cellularity, and define the copy number profile and mutations; hence the `varscan.copynumber` argument is optional. However, for *exome* sequencing, we recommend that you supply `varscan.copynumber`.

4 Exploring the *seqz* file and depth ratio normalization details

After the aligned sequence data have been pre-processed, the `sequenza` R package handles all the normalization and analysis steps. Thus, the remainder of

this vignette will take place in R.

```
> library("sequenza")
```

4.1 Read the *seqz* file

In the package we provide an example file. To find the complete path of the example data file:

```
> data.file <- system.file("data", "example.seqz.txt.gz", package = "sequenza")
> data.file
```

The *seqz* file can be read all at once, but processing one chromosome at a time is less demanding on computational resources, especially while processing whole genome data, and might be preferable in case of limited computational resources.

Read only the data corresponding to chromosome 1:

```
> seqz.data <- read.seqz(data.file, chr.name = "1")
```

Alternatively, read all data at once:

```
> seqz.data <- read.seqz(data.file)
```

```
> str(seqz.data, vec.len = 2)
```

```
'data.frame':      53937 obs. of  14 variables:
 $ chromosome      : chr  "1" "1" ...
 $ position        : int  866168 878255 880150 881992 884173 ...
 $ base.ref        : chr  "C" "T" ...
 $ depth.normal    : int   7 21 9 53 80 ...
 $ depth.tumor     : int  10 10 16 37 61 ...
 $ depth.ratio     : num  1.429 0.476 ...
 $ Af              : num  0.9 0.9 0.9 0.514 0.586 ...
 $ Bf              : num  0 0 0 0.486 0.397 ...
 $ zygoty.normal   : chr  "hom" "hom" ...
 $ GC.percent      : num  66 72 54 63 64 ...
 $ good.reads      : num  10 10 10 35 58 ...
 $ AB.normal       : chr  "C" "T" ...
 $ AB.tumor        : chr  "A0.1" "G0.1" ...
 $ tumor.strand    : chr  "A1.0" "G1.0" ...
```

The files can be read even faster; after mapping the chromosomes location in the file, it is possible to select the specific lines of the file to read. See the man page of `read.seqz` for an example.

4.2 Quality control

Each aligned base, in the next generation sequencing, is associated with a quality score. The `sequenza-utils.py` software is capable of filtering out bases with a quality score lower than a specified value (default, 20). The number of reads that have passed the filter is returned in the column *good.reads*, while the *depth.tumor* column contains the raw depth indicated in the pileup.

4.3 Normalization of depth ratio

The GC content bias affects most of the samples; however, some samples are more biased than others. We attempt to remove this bias by normalizing with the mean depth ratio value of a corresponding GC content value.

For efficiency, the function `gc.sample.stats` simultaneously gathers GC-content information from the entire file and in the meantime maps the chromosome position in the file (thus enabling direct access to a specified chromosome later, see `?read.seqz`):

```
> gc.stats <- gc.sample.stats(data.file)

> str(gc.stats)

List of 6
 $ raw      : num [1:70, 1:3] 0.556 0.834 0.894 0.445 0.714 ...
 ..- attr(*, "dimnames")=List of 2
 .. ..$ : chr [1:70] "15" "16" "17" "18" ...
 .. ..$ : chr [1:3] "25%" "50%" "75%"
 $ adj      : num [1:70, 1:3] 1 0.75 0.921 0.772 0.857 ...
 ..- attr(*, "dimnames")=List of 2
 .. ..$ : chr [1:70] "15" "16" "17" "18" ...
 .. ..$ : chr [1:3] "25%" "50%" "75%"
 $ gc.values : num [1:70] 15 16 17 18 19 20 21 22 23 24 ...
 $ raw.mean  : Named num [1:70] 0.556 0.926 0.93 0.523 0.96 ...
 ..- attr(*, "names")= chr [1:70] "15" "16" "17" "18" ...
 $ raw.median : Named num [1:70] 0.556 1.111 0.971 0.576 0.833 ...
 ..- attr(*, "names")= chr [1:70] "15" "16" "17" "18" ...
 $ file.metrics:'data.frame':      23 obs. of  4 variables:
 ..$ chr      : Factor w/ 23 levels "1","10","11",...: 1 12 16 17 18 19 20 21 22 2 ...
 ..$ n.lines: int [1:23] 5817 3377 2957 2179 1976 2756 2765 1837 2488 2673 ...
 ..$ start   : num [1:23] 1 5818 9195 12152 14331 ...
 ..$ end     : num [1:23] 5817 9194 12151 14330 16306 ...
```

Or alternatively, it is possible to collect the GC-contents information from an object already loaded in the environment.

```
> gc.stats <- gc.norm(x = seqz.data$depth.ratio,
+                    gc = seqz.data$GC.percent)
```

In either case the the normalization of the depth ratio is performed in the following way:

```
> gc.vect <- setNames(gc.stats$raw.mean, gc.stats$gc.values)
> seqz.data$adjusted.ratio <- seqz.data$depth.ratio /
+   gc.vect[as.character(seqz.data$GC.percent)]
```

```

> par(mfrow = c(1,2), cex = 1, las = 1, bty = 'l')
> matplot(gc.stats$gc.values, gc.stats$raw,
+         type = 'b', col = 1, pch = c(1, 19, 1), lty = c(2, 1, 2),
+         xlab = 'GC content (%)', ylab = 'Uncorrected depth ratio')
> legend('topright', legend = colnames(gc.stats$raw), pch = c(1, 19, 1))
> hist2(seqz.data$depth.ratio, seqz.data$adjusted.ratio,
+       breaks = prettyLog, key = vkey, panel.first = abline(0, 1, lty = 2),
+       xlab = 'Uncorrected depth ratio', ylab = 'GC-adjusted depth ratio')

```




Figure 1: Visualization of depth.ratio bias in relation of GC content (left), and resulting normalization effect (right).

5 Analyzing sequencing data with sequenza

The R package **sequenza** offers an ensemble of functions and models that can be used to design customized workflows and analyses. Here we provide generic and most commonly used analysis steps.

- Extract the relevant information from the raw *seqz* file.
- Fit the *sequenza* model to infer cellularity and ploidy.
- Apply the inferred parameters to estimate the copy number profile

5.1 Extract the information from the *seqz* file.

The function **sequenza.extract** is designed to efficiently access the *seqz* file and take care of normalization steps. The arguments enable customization of a set of actions listed below:

- binning depth ratio and B allele frequency in a desired window size (allowing a desired number of overlapping windows);
- performing a fast, allele specific segmentation using the **copynumber** package[3];
- filter mutations by frequency and noise.

```
> test <- sequenza.extract(data.file)
> names(test)
```

After the raw data is processed, the size of the data is considerably reduced. Typically, the R object resulting from `sequenza.extract` can be stored as a file of a few megabytes, even for whole genome sequencing data.

The result of this first step consists of a list of sub-lists. Each sub-list has information subdivided by chromosome. All lists share the same chromosome order.

5.1.1 Plot chromosome view with mutations, BAF, depth ratio and segments

Each chromosome can be visualized using the function `chromosome.view` as in Figure 2. The same function can be used to visualize the data after the estimation of *cellularity* and *ploidy* parameters as in Figure 5.

```
> chromosome.view(mut.tab = test$mutations[[1]], baf.windows = test$BAF[[1]],
+               ratio.windows = test$ratio[[1]], min.N.ratio = 1,
+               segments = test$segments[[1]], main = test$chromosomes[1])
```




Figure 2: Plots of mutant allele frequency (top), B allele frequency (middle) and depth ratio (bottom) vs. chromosome position.

5.2 Inference of cellularity and ploidy

After the raw data is processed, imported into R, and normalized, we can apply the parameter inference implemented in the package. The function `sequenza.fit` performs the inference using the calculated B allele frequency and depth ratio of the obtained segments. The method can be explored in more detail by reading the manual pages for the function `baf.model.fit`.

```
> CP.example <- sequenza.fit(test)
```

The result is a list in a format `list(ploidy, cellularity, lpp)`, corresponding to the conventional format `list(x, y, z)`, easily usable by standard graphical functions, such as `image`. However we provide functions to explore and better display the results, and to extract the point estimate and confidence intervals.

5.3 Results of model fitting

The last part of the workflow is to apply the estimated parameters. There is an all-in-one function that plots and saves the results, giving control on file names and output directory:

```
> sequenza.results(sequenza.extract = test, cp.table = CP.example,
+                  sample.id = "Test", out.dir="TEST")
```

Although this standard way of presenting the result is appropriate for most situations, it is possible to create an alternative wrapper by using functions in the following sub-sections.

5.3.1 Confidence intervals, confidence region and point estimate

The object resulting from `sequenza.fit` has two vectors, `ploidy` and `cellularity`, indicating respectively the tested values of ploidy and cellularity, and a matrix, `lpp`, with columns and rows corresponding to the previously indicated vectors, containing the estimated log posterior probability for the combinations of cellularity and ploidy. Confidence intervals for these two parameters can be calculated using the function `get.ci`.

```
> cint <- get.ci(CP.example)
```

It is also possible to plot the posterior probability over the combinations of the two parameters, highlighting the point estimate and the confidence region.

```
> cp.plot(CP.example)
> cp.plot.contours(CP.example, add = TRUE, likThresh = c(0.95))
```




Figure 3: Result from the inference over the defined range of cellularity and ploidy. Color intensity indicates the log posterior probability of corresponding cellularity/ploidy values.

By exploring the results for *cellularity* and *ploidy* separately, it is possible to draw the posterior probability distribution for each parameter. The information is returned by the `get.ci` function.

```

> par(mfrow = c(2,2))
> cp.plot(CP.example)
> cp.plot.contours(CP.example, add = TRUE)
> plot(cint$values.cellularity, ylab = "Cellularity",
+       xlab = "posterior probability", type = "n")
> select <- cint$confint.cellularity[1] <= cint$values.cellularity[,2] &
+       cint$values.cellularity[,2] <= cint$confint.cellularity[2]
> polygon(y = c(cint$confint.cellularity[1], cint$values.cellularity[select, 2], cint$conf
+       x = c(0, cint$values.cellularity[select, 1], 0), col='red', border=NA)
> lines(cint$values.cellularity)
> abline(h = cint$max.cellularity, lty = 2, lwd = 0.5)
> plot(cint$values.ploidy, xlab = "Ploidy",
+       ylab = "posterior probability", type = "n")
> select <- cint$confint.ploidy[1] <= cint$values.ploidy[,1] &
+       cint$values.ploidy[,1] <= cint$confint.ploidy[2]
> polygon(x = c(cint$confint.ploidy[1], cint$values.ploidy[select, 1], cint$confint.ploidy
+       y = c(0, cint$values.ploidy[select, 2], 0), col='red', border=NA)
> lines(cint$values.ploidy)
> abline(v = cint$max.ploidy, lty = 2, lwd = 0.5)
>

```




Figure 4: Plot of the log posterior probability with respective cellularity and ploidy probability distribution and confidence intervals.

5.4 Call CNVs and mutations using the estimated parameters

The point estimate value corresponds to the point of maximum posterior probability, detected after the confidence interval computation:

```
> cellularity <- cint$max.cellularity
> cellularity
```

```
[1] 0.88
```

```
> ploidy <- cint$max.ploidy
> ploidy
```

```
[1] 2
```

In addition we need to calculate the average normalized depth ratio, used to set a value for the baseline copy number.

```
> avg.depth.ratio <- mean(test$gc$adj[, 2])
> avg.depth.ratio
```

```
[1] 1
```

5.4.1 Detect variant alleles (mutations)

To detect variant alleles, we use a mutation frequency model that is implemented as the `mufreq.bayes` function:

```
> mut.tab <- na.exclude(do.call(rbind, test$mutations))
> mut.alleles <- mufreq.bayes(mufreq = mut.tab$F,
+                             depth.ratio = mut.tab$adjusted.ratio,
+                             cellularity = cellularity, ploidy = ploidy,
+                             avg.depth.ratio = avg.depth.ratio)
> head(mut.alleles)
```

	CNn	CNt	Mt	LPP
4	2	2	1	-19.027095
3	2	2	0	-27.644729
41	2	2	1	-27.612002
42	2	2	1	-9.104826
31	2	2	0	-27.644729
32	2	2	0	-25.053339

```
> head(cbind(mut.tab[,c("chromosome", "position", "F", "adjusted.ratio", "mutation")],
+               mut.alleles))
```

	chromosome	position	F	adjusted.ratio	mutation	CNn
1.364	1	10436585	0.215	0.9956093	C>T	2
1.386	1	11140488	0.122	0.9956093	A>G	2
1.510	1	12888791	0.154	0.9956093	A>G	2
1.652	1	15821826	0.389	0.9956093	G>T	2
1.795	1	16890737	0.115	0.9956093	C>A	2

```

1.797          1 16890771 0.109      0.9956093      G>A      2
      CNt Mt      LPP
1.364      2  1 -19.027095
1.386      2  0 -27.644729
1.510      2  1 -27.612002
1.652      2  1  -9.104826
1.795      2  0 -27.644729
1.797      2  0 -25.053339

```

The result consists of four values for every imputed mutation: *CNn* is the provided copy number of the normal sample at the given position (default = 2); *CNt* is the estimated copy number of the tumor at the given position; *Mt* is the estimated numbers of alleles carrying the mutation; *LPP* is the log posterior probability of the model fit.

5.4.2 Detect copy number variations

To detect copy number variations we use the model implemented in the function `baf.bayes`, with the estimated parameters of *cellularity* and *ploidy*:

```

> seg.tab      <- na.exclude(do.call(rbind, test$segments))
> cn.alleles <- baf.bayes(Bf = seg.tab$Bf, depth.ratio = seg.tab$depth.ratio,
+                          cellularity = cellularity, ploidy = ploidy,
+                          avg.depth.ratio = avg.depth.ratio)
> head(cn.alleles)

```

```

      CNt A B      LPP
[1,]    2 1 1 -4.936585
[2,]    3 2 1 -4.948793
[3,]    2 2 0 -4.940939
[4,]    4 2 2 -4.983545
[5,]    3 2 1 -4.934301
[6,]    2 1 1 -4.940406

```

```

> seg.tab <- cbind(seg.tab, cn.alleles)
> head(seg.tab)

```

```

      chromosome start.pos  end.pos      Bf N.BAF
1.1           1    881992 54694219 0.41541244 1636
1.2           1  54700724 60223464 0.33497406   73
1.3           1  60381518 67890614 0.05069544   94
1.4           1  68151686 92445264 0.43610321  265
1.5           1  92568300 118165373 0.33914750  314
1.6           1 118165645 121485317 0.39920977   62
      sd.BAF depth.ratio N.ratio  sd.ratio CNt A B
1.1 0.09201794  0.9956093   2172 0.4740886  2 1 1
1.2 0.08018359  1.3446988    101 1.2831951  3 2 1
1.3 0.03415662  1.0308753    114 0.4353959  2 2 0
1.4 0.07216107  1.8196474    340 1.3944810  4 2 2
1.5 0.08239187  1.4479710    431 0.8945203  3 2 1
1.6 0.08833140  1.0366847     85 0.4214107  2 1 1

```

	LPP
1.1	-4.936585
1.2	-4.948793
1.3	-4.940939
1.4	-4.983545
1.5	-4.934301
1.6	-4.940406

The result consists of four values for every imputed segment: CNt is the estimated copy number of the tumor of the given segment; A is the estimated number of A alleles; B is the estimated number of B alleles; LPP is the log posterior probability of the model fit.

5.5 Visualize detected copy number changes and variant alleles

To visualize the data after detection of CNV and variant alleles, one can use the `chromosome.view`. In order to draw the relative model points (and to evaluate how the estimated model fits the real data) additional information is needed beyond that in Figure 2:

- Each segment must have the columns relative to the copy number variation calling.
- *Cellularity* and *ploidy* estimates.
- Average normalized depth ratio.

```

> chromosome.view(mut.tab = test$mutations[[3]], baf.windows = test$BAF[[3]],
+               ratio.windows = test$ratio[[3]], min.N.ratio = 1,
+               segments = seg.tab[seg.tab$chromosome == test$chromosomes[3],],
+               main = test$chromosomes[3],
+               cellularity = cellularity, ploidy = ploidy,
+               avg.depth.ratio = avg.depth.ratio)

```

3




Figure 5: Plots of mutant allele frequency (top), B allele frequency (middle) and depth ratio (bottom) for chromosome position. Horizontal dotted lines indicate expectation values for various copy number/allele states.

5.5.1 Genome-wide view of the allele and copy number state

```
> genome.view(seg.cn = seg.tab, info.type = "CNt")
> legend("bottomright", bty="n", c("Tumor copy number"), col = c("red"),
+       inset = c(0, -0.4), pch=15, xpd = TRUE)
```




Figure 6: Genome-wide absolute copy number profile obtained from exome sequencing.

```
> genome.view(seg.cn = seg.tab, info.type = "AB")
> legend("bottomright", bty = "n", c("A-allele", "B-allele"), col= c("red", "blue"),
+       inset = c(0, -0.45), pch = 15, xpd = TRUE)
```




Figure 7: Genome-wide allele-specific copy number profile obtained from exome sequencing.

References

- [1] Daniel C Koboldt, Qunyuan Zhang, David E Larson, Dong Shen, Michael D McLellan, Ling Lin, Christopher A Miller, Elaine R Mardis, Li Ding, and Richard K Wilson. VarScan 2: somatic mutation and copy number alteration discovery in cancer by exome sequencing. *Genome Research*, 22(3):568–76, March 2012.
- [2] Heng Li, Bob Handsaker, Alec Wysoker, Tim Fennell, Jue Ruan, Nils Homer, Gabor Marth, Goncalo Abecasis, and Richard Durbin. The Sequence

Alignment/Map format and SAMtools. *Bioinformatics (Oxford, England)*, 25(16):2078–9, August 2009.

- [3] Gro Nilsen, Knut Liestøl, Peter Van Loo, Hans Kristian Moen Vollan, Marianne B Eide, Oscar M Rueda, Suet-Feung Chin, Roslin Russell, Lars O Baumbusch, Carlos Caldas, Anne-Lise Børresen Dale, and Ole Christian Lingjaerde. Copynumber: Efficient algorithms for single- and multi-track copy number segmentation. *BMC Genomics*, 13:591, January 2012.